


LENGTH OF STAKES	
TREE SIZE	LENGTH
15 GAL.	10'
24" BOX	12'
30" BOX	12'
36" - 48" BOX	SEE NOTE 4

* USE 12' WITH CASE 2. SEE STD. PLAN G-14-1



NOTES:

1. STAKE SHALL BE EITHER 3" DIAMETER LODGE POLE PINE, TREATED WITH COPPER NAPHTHENATE OR PRESSURE TREATED WITH CHROMATED COPPER ARSENATE, OR GALVANIZED STEEL PIPE PER. SUBSECTION 308-4.6.1 (METHOD A) OF THE GREENBOOK.
2. PLACE STAKES 18" APART FOR 15 GAL. TREE, PLACE STAKE AT OUTER EDGE ROOT BALL FOR LARGER SIZE BOX TREE.
3. HEIGHT OF STAKES SHALL NOT BE HIGHER THAN THE TOP OF THE TREE.
4. FOR 36" OR LARGER BOX TREES-STAKE OR GUY AT THE DIRECTION OF CITY ENGINEER.
5. TREE SUPPORTS PER SUBSECTION 308-4.6.1 OF THE GREENBOOK.
6. READY STAKE SIZE B, 3/4" DIA. X 9' SHALL BE USED FOR 15 GAL. ROOT BALL OR LESS. USE WOODEN STAKE FOR ROOT BALL LARGER THAN 15 GAL. USE WOODEN STAKE 3" DIA. X 8' OR AS STATED IN NOTE NO. 1.

TITLE:

LANDSCAPING TREE STAKING - DOUBLE STAKING

DRAWN BY: LOUIE C. GUEVARA	SCALE: NONE
REVIEWED BY: DAVID RUBCIC	REVISED: OCTOBER, 2013

APPROVED:

David Rubcic 12-20-13
 CITY ENGINEER: DAVID RUBCIC LIC. NO. 57601 EXP. DATE: 12-31-2013 DATE

STANDARD PLAN

H-1-2

CITY OF HOLLISTER
ENGINEERING DEPARTMENT

SHEET 2 OF 3