ELEMENT 7 – REVISION RECORD

The City of Hollister SSMP Element 7 – Fats, Oils, and Grease Control Program has undergone the following revisions:

Revision No.	Revision Date	Description of Revisions	Revision Completed By	Revision Approved By
0	2007	The City created a document entitled the Sewer System Management Plan (SSMP) Development Guide to address the requirements of the 2006 Sanitary Sewer System (SSS) Orders issued by the State Water Resources Control Board (SWRCB).	City of Hollister Staff	Unknown
1	February 2017	The SSMP was revised in accordance with the findings and recommendations of the November 2, 2015 SSMP Audit. This revision also served as the five (5) year update.	Wallace Group	City Council



Sewer System Management Plan – Revision 01 Element 7 – Fats, Oils, and Grease Control Program




ELEMENT 7 - FATS, OILS, AND GREASE CONTROL PROGRAM

The City of Hollister has over one hundred food service establishments (FSEs) within its jurisdiction. The breakdown of types of FSEs is graphically portrayed below in Figure 7-1. The City is in the process of developing a Fats, Oils and Grease (FOG) Control Program as FOG has been identified as a historical cause of Sanitary Sewer Overflows (SSOs) and maintenance issues.

The metrics that the City uses to monitor the effectiveness of the FOG Control Program are presented in Element 9 – Monitoring, Measurement, and Program Modifications.

The primary goal of the City of Hollister's FOG Control Program is to decrease the amount of FOG entering the sanitary sewer system to minimize the risk of SSOs.





7.1 Regulatory Requirements

WDR Order No. 2006-0003-DWQ Section D.13(vii) states:

Each Enrollee shall evaluate its service area to determine whether a FOG control program is needed. If an Enrollee determines that a FOG program is not needed, the Enrollee must provide justification as to why it is not needed. If FOG is found to be a problem, the Enrollee must prepare and implement a FOG source control program to reduce the amount of these substances discharged to the sanitary sewer system. This plan shall include the following as appropriate:

(a). An implementation plan and schedule for a public education outreach program that promotes proper disposal of FOG;

City of Hollister January 2017 Page 7-1 of 7-10



- (b). A plan and schedule for the disposal of FOG generated within the sanitary sewer system service area. This may include a list of acceptable disposal facilities and/or additional facilities needed to adequately dispose of FOG generated within a sanitary sewer system service area;
- (c). The legal authority to prohibit discharges to the system and identify measures to prevent SSOs and blockages caused by FOG;
- (d). Requirements to install grease removal devices (such as traps or interceptors), design standards for the removal devices, maintenance requirements, BMP requirements, record keeping and reporting requirements;
- (e). Authority to inspect grease producing facilities, enforcement authorities, and whether the Agency has sufficient staff to inspect and enforce the FOG ordinance;
- (f). An identification of sanitary sewer system sections subject to FOG blockages and establishment of a cleaning maintenance schedule for each section; and
- (g). Development and implementation of source control measures for all sources of FOG discharged to the sanitary sewer system for each section identified in (f) above.

7.2 FOG Control Program Public Education and Outreach [WDR D.13(vii)(a)]

7.2.1 FSE Education and Outreach

The City of Hollister recognizes that FOG is an ongoing challenge as a source of sewer system backups and SSOs. The City plans to develop a FOG Control Program to address SSOs caused by FOG. This program will be developed by April 2017 and implemented in May 2017. The program will begin with both residential and commercial outreach and education through the development of the following FOG Control information sources:

Residential Outreach and Education

- FOG Information Web Page on City Website
- Semi Annual Articles in the City Newsletter
- Flyers with residential FOG information at City Administrative Buildings
- Door Hangers to notify residential sewer users when FOG is encountered during sewer line cleaning

Commercial Outreach and Education

- FOG Information Web Page on City Website
- Letter to all Food Service Establishments (FSEs) informing them of the City's FOG Control requirements and FOG Control Program
- Development of FSE outreach materials, discharge permits and best management practices for FSEs



Examples of these Outreach and Education materials will be include in Appendix 07-A when completed.

7.2.2 FOG Control Program

The City's FOG Program will begin with outreach and this will remain a major component throughout the program. The City firmly believes that by having Food Service Establishments (FSEs) and the residential community understand the value in reducing the amount of grease in the City's sewer lines the public can uniformly improve collection system efficiency and the costs associated with grease related overflows. The City plans to begin implementation of this program in April 2017.

Formal Inspections and initial permitting efforts for each FSE will begin in May 2017. The City will visit each site identified on the City of Hollister FSE List located in Appendix 07-B. A standard FOG Permit application and subsequent FOG Discharge Permit will be issued to all FSEs that have the potential to discharge FOG into the sewer system. A Variance Permit will be issued to FSEs that have kitchen facilities but do not currently produce FOG in quantities that may impact the City's sewer system. FOG Discharge Permits will require FSEs to follow all Best Management Practices (BMPs), maintain and operate a Grease Control Device and maintain a cleaning log on the premises. A review of the cleaning log and maintenance information will be required during each inspection. All FSEs with a FOG Permit will be inspected twice a year. FSEs with a Variance Permit will be inspected once a year to verify the facility and/or menu has not changed enough to require a standard FOG Permit and Grease Control Device.

In cases where a facility does not currently maintain a grease trap or interceptor, installation may be required. Installation will be based upon current Uniform Plumbing Code (UPC) and the City's Municipal Code. The current UPC is utilized to determine the type and size of unit that will be required. Justification for trap versus interceptor installation will be based upon foods served and prepared, number of drains found within the facility, size and history of the establishment. Dye testing may also be conducted when it is necessary to determine specific drainage.

During routine site visits each FSE inspectors will provided the FSE owner with a:

- FOG Control Program Flyer;
- FOG Best Management Practices (BMP) Booklet;
- Grease Hauler List;
- Cleaning Record Form; and a
- "No Grease" Poster.

FOG Permits will be non-transferrable and are re-issued annually after checking for facility changes. FSEs are inspected on a semiannual frequency. FSE compliance is tracked, and FSEs are given a specific number of days to correct violations. Re-inspections will occur for all FSEs found to be out of compliance with the City's FOG Control Program until violations of the City's program are corrected. FOG Program materials will be included in Appendix 07-C when completed in April 2017.



7.3 FOG Disposal Facilities [WDR D.13(vii)(b)]

The City does not own or operate a FOG disposal facility. Licensed FOG hauling contractors are available for the Hollister area and are required to dispose of grease to a certified disposal facility. The frequency of cleaning for a FSE's grease control device will be on a case by case basis and therefore a schedule for FOG disposal will also be on a case by case basis.

A list of FOG pumping and/or FOG waste hauling contractors in San Benito and Monterey Counties is provided in Appendix 07-D.

7.4 Discharge Prohibition Legal Authority and SSO Prevention Measures [WDR D.13(vii)(c)]

The legal authority to prohibit discharges to the collection system and identify measures to prevent FOG-caused SSOs is found in the City's Municipal Code.

For reference, Appendix 07-E contains a copy of applicable sections of Chapter 13.04, Sewer Service System in their entirety.

Table 7-1 summarizes where the City has established the legal authorities to prohibit FOG discharges and where measures are identified to prevent SSOs and blockages caused by FOG.

WDR Requirement	City of Hollister Municipal Code Section	Specific Language
Prohibit FOG discharges to collection system	13.04.090 D	No person shall discharge or cause to be discharged any of the following into any public sewer:
		D. Solid or viscous substances in quantities or of such size as to be capable of causing obstructions to the flow in sewers or the interference with the proper operation of the sewer works, such as, but not limited to, ashes, cinders, sand, mud, straw, shavings, metal, glass, rags, feathers, tar, plastic, wood, underground garbage, whole blood, parched manure, hair and fleshing, whole or ground paper, dishes, cups, milk containers, etc. (Editorially amended during 1998 codification; prior code § 16-9)
Prohibit FOG discharges to collection system	13.04.100 B	No person shall discharge or cause to be discharged into any sewer any of the following if, in the opinion of the director, the same may damage or injure the sewer, sewage treatment plant, sewage treatment process, sewage treatment equipment, or have an adverse effect on the receiving stream, endanger the public or constitute nuisance. In determining the

Table 7-1: City of Hollister FOG Legal Authority



WDR Requirement	City of Hollister Municipal Code Section	Specific Language
		 acceptability of the following, the director shall consider such factors as the quantity to be received in relationship to the flows and velocities in the sewer, the materials of construction of the sewers, the nature of the sewer treatment process, the capacity of the sewer treatment plant, the degree of treatability of the following in the sewer treatment plant and other related factors. The prohibited substances are as follows: B. Any water or waste containing fats, wax, grease or oils, whether emulsified or not, in excess of one hundred (100) milligrams per liter or containing substances which may solidify or become viscous at temperatures between thirty-two (32) degrees and one hundred fifty degrees (150) Fahrenheit (zero degrees and sixty-five (65) degrees centigrade);



WDR Requirement	City of Hollister Municipal Code Section	Specific Language	
Identify measures to prevent SSOs and blockages caused by FOG	13.04.120	Grease, oil and sand interceptors shall be provided when, in the opinion of the director, they are necessary for the proper handling of liquid wastes containing grease, flammable waste, sand or other harmful ingredients, except that such interceptors shall not be required for dwelling units. All interceptors shall be of a type and capacity approved by the director and shall be located so as to be readily and easily accessible for cleaning and inspection. Failure to clean or maintain interceptors shall be grounds for discontinuance of service or other punitive action as provided in this chapter. (Prior code § 16-12)	
Identify measures to prevent SSOs and blockages caused by FOG	13.04.110		



7.5 Grease Removal Devices Design, Installation, and Maintenance Requirements [WDR D.13(vii)(d)]

The table below summarizes where the City has established the legal authorities to meet the above FOG Program requirements.

Table 7-2: Grease Removal Device Design, Installation, and Maintenance Requirements
[WDR D.13(vii)(d)]

WDR Requirement	City of Hollister Municipal Code Section	Specific Language
FSE to Install Grease Removal Device	13.04.120	Grease, oil and sand interceptors shall be provided when, in the opinion of the director, they are necessary for the proper handling of liquid wastes containing grease, flammable waste, sand or other harmful ingredients, except that such interceptors shall not be required for dwelling units. All interceptors shall be of a type and capacity approved by the director and shall be located so as to be readily and easily accessible for cleaning and inspection. Failure to clean or maintain interceptors shall be grounds for discontinuance of service or other punitive action as provided in this chapter. (Prior code § 16-12)
Grease Removal Devices – Design Standards	15.04.050	 The following codes, which are on file and available for public inspection at City Hall, are adopted by reference as fully as if set forth verbatim. A. 2013 Edition of the California Building Standards, Title 24 of the California Code of Regulations, in its entirety consisting of the following parts: -Part 5- California Plumbing Code;
Grease Removal Devices – Maintenance	To be developed as part of the City's FOG Control Program	To be developed as part of the City's FOG Control Program
Grease Removal	To be developed as	To be developed as part of the City's FOG



WDR Requirement	City of Hollister Municipal Code Section	Specific Language
Devices – Best Management Practices (BMPs)	part of the City's FOG Control Program	Control Program
Grease Removal Devices – Record Keeping and Reporting	To be developed as part of the City's FOG Control Program	To be developed as part of the City's FOG Control Program

7.6 FOG Control Program Inspection, Enforcement, and Staffing [WDR D.13(vii)(e)]

The City of Hollister's FOG Control Program Inspection and Enforcement legal authorities are described in Section 7.6.1 below and FOG Control Program staffing is described in Section 7.6.2 below.

7.6.1 FOG Control Program Inspection and Enforcement

Table 7-3 summarizes where the City has established the legal authorities to inspect grease producing facilities. The City is responsible for enforcement as outlined by City Municipal Code, Chapter 1.16.090 entitled Code Enforcement. Appendix 07-E contains applicable sections of Chapter 1.16.090 in their entirety.

WDR Requirement	City of Hollister Municipal Code	Specific Language
Authority to inspect grease producing facilities	1.16.090	Enforcement officials are authorized to exercise the powers necessary to gain compliance with the provisions of city codes or applicable state law. These powers include the power to issue compliance orders and field citations, inspect public and private property, and use whatever judicial and administrative processes and remedies are available under city codes or state law. (Ord. 891 § 1, 1997: prior code § 1A-10)
Authority to enforce FOG Program Requirements	1.16.090	Enforcement officials are authorized to exercise the powers necessary to gain compliance with the provisions of city codes or applicable state law. These powers include the power to issue compliance orders and field citations, inspect public and private property, and use whatever judicial and administrative processes and remedies are available under city codes or state



WDR Requirement	City of Hollister Municipal Code	Specific Language
		law. (Ord. 891 § 1, 1997: prior code § 1A-10)

7.6.2 FOG Control Program Staffing

The City is in the process of developing a FOG Control Program that will meet the City's goals to reduce FOG related SSOs. Staffing levels are in the process of being evaluated to enable the City to properly staff a formal FOG Control Program. A staffing plan for public outreach, permitting and inspection will be completed by June 2017. A table demonstrating how the City will staff this program and specific FOG Program roles and responsibilities will be include in Appendix 07-F when complete.

7.7 Grease Problem Area Identification and Sewer Cleaning [WDR D.13(vii)(f)]

The City's goal is to clean the entire collection system every two years, as described in Element 4 – Operation and Maintenance Program. Areas of the City that require more frequent cleaning (High Maintenance Areas (HMAs)) due to FOG are inspected weekly and cleaned when there is a visual indication of obstructed flow conditions or based on other conditions that may warrant cleaning. A general overview map of HMAs is located in Figure 7-2. A list of HMAs is located in Appendix 07-G.






Figure 7-2: City of Hollister FOG Related High Maintenance Areas

7.8 Source Control Measure Development and Implementation [WDR D.13(vii)(g)]

As of this SSMP update, the City is not planning additional source control measure development and implementation in addition to the program listed above.



APPENDIX 7A

FOG Education and Outreach Materials



APPENDIX 7B

List of Food Service Establishments (FSEs)



Dalabase			
Facility Name	Facility Description	Site Address	
Donuts & Deli	Bakery Only	321 San Felipe Rd. Hollister	
San Benito Bakery	Bakery Only	55 San Benito Street #B Hollister	
El Nopal Bakery	Bakery Only	1290 San Juan Road	
Bagel Bakery	Bakery Only	195 B Meridian Street Hollister, CA 95023	
El Nopal Bakery	Bakery Only	216 Third Street Hollister	
Suncoast Organic Farm	Bakery Only	6310 Southside Road Hollister	
Joshua Inn Bed & Breakfast	Bed & Breakfast	712 West Street Hollister, CA 95023	
San Benito High School	Cafeteria	1220 Monterey Street Hollister	
School - Sacred Heart	Cafeteria	670 College Street Hollister	
School - Spring Grove	Cafeteria	500 Spring Grove Road Hollister	
School - 7th Day Adventist	Cafeteria	2020 Santa Ana Road Hollister	
School - Calaveras	Cafeteria	1151 Buena Vista Road Hollister	
School - Cierra Vista	Cafeteria	2151 Cerra Vista Drive Hollister	
School - Gabilan Hills	Cafeteria	901 Santa Ana Road Hollister	
School - Marguerite Maze	Cafeteria	900 Meridian Street Hollister	
School - Rancho	Cafeteria	1201 Rancho Drive Hollister	
School - R.O. Hardin	Cafeteria	881 Line Street Hollister	
School - Sunnyslope	Cafeteria	1475 Memorial Drive Hollister	
School - Southside	Cafeteria	4991 Southside Road Hollister	
School - San Andreas	Cafeteria	191 Alvarado Street Hollister	
School - San Benito High	Cafeteria	1220 Monterey Street Hollister	
School - San Andreas	Cafeteria	191 Alvarado Street Hollister	
Hernandez Labor	Cafeteria	882 Fallon Road Hollister	
Mansmith's Enterprises	Commissary		
Palenteria Lagrimita	Commissary	Flora Ave Hollister, CA 95023	
San Benito Tea Co	Food Processing	13140 Cienega Road Hollister	
Homeless Coalition of SBC	Hotel	3239 Southside Road Hollister	
Westside Liquors	Liquor Store	1272 San Juan Road Hollister	
Diaz Liquors	Liquor Store	1709 D Airline Hwy Hollister	
Hollister Liquors	Liquor Store	310 First Street Hollister	
Pacheco's Express Way	Liquor Store	801 San Benito Street Hollister	
Larry's Liquors	Liquor Store	570 Tres Pinos Road Hollister	
G & J Liquor Mart	Liquor Store	191 B San Felipe Rd. Hollister	
Premier Cinemas	Minor Food	641 McCray Street Hollister	
Serafine's Catering	Mobile Food	300 Ranchito Drive Hollister	
Sweets GF Bakery	Processing	1570 Shelton Drive #A Hollister	
iamori	Processing	1570 Shelton Drive Ste. A Hollister	
Don Chente's Restaurant	Restaurant	191 G San Felipe Rd. Hollister	
Miyako Japanese Rest	Restaurant	321 San Felipe Rd. #1 Hollister	
Mabie Northside Conv. Hosp.	Restaurant	900 Sunset Drive Hollister	
Cheap Seats Pub & Grub	Restaurant	427 San Benito Street Hollister	
Wizard's Café	Restaurant	2360 Technology Pwy. Hollister	
Domino's Pizza	Restaurant	601 McCray Street Unit B Hollister	
Mangia Italian	Restaurant	1709 A Airline Hwy Hollister	
Jerry's Restaurant	Restaurant	111 San Felipe Road Hollister	
Round Table Pizza	Restaurant	496 Tres Pinos Road Hollister	
Wong's Garden	Restaurant	1709 J Airline Highway Hollister	
Jack in the Box	Restaurant	391 McCray Street Hollister	
Super Taqueria	Restaurant	460 Tres Pinos Road Hollister	
	Restaurant	391 McCray Street Hollister	

	Database	
Facility Name	Facility Description	Site Address
Paine's Restaurant	Restaurant	421 East Street Hollister
Taco Bell #3694	Restaurant	431 Tres Pinos Road Hollister
King Ridgemark	Restaurant	3800 Airline Highway Hollister
Dunneville Restaurant	Restaurant	5970 San Felipe Road Hollister
Country Rose Café	Restaurant	696 Fourth Street Hollister
Spudnuts & Deli	Restaurant	500 Tres Pinos Road Hollister
Tacos El Grullense JAL	Restaurant	249 San Benito Street
Foster's Freeze	Restaurant	441 Tres Pinos Road Hollister
Hollister Hills Brewery	Restaurant	401 McCray Street, Bldg. B, Unit 24 Hollister
FroYo Delite	Restaurant	1715 Airline Highway #2 Hollister
Jovenes de Antano	Restaurant	300 West Street Hollister
Straw Hat Pizza	Restaurant	191 A San Felipe Road Hollister
Mountain Mike's Pizza	Restaurant	353 #B McCray Street Hollister
Baskin Robbins	Restaurant	1740 A Airline Hwy. Hollister
Mabie Skilled Nursing	Restaurant	911 Sunset Drive Hollister
Happy Café	Restaurant	191 R San Felipe Rd. Hollister
La Villa de Jerez	Restaurant	905 East Street Hollister
Running Rooster	Restaurant	800 San Benito Street Hollister
Java Express #1	Restaurant	371 San Felipe Road Hollister
Java Express #2	Restaurant	1515 Cushman Street Hollister
Togo's Eatery	Restaurant	1750 Airline Highway Hollister
San Benito Co. Jail	Restaurant	Flynn Road Hollister
San Benito Labor Camp	Restaurant	3239 Southside Road Hollister
McDonald's Restaurant	Restaurant	1711 Airline Highway Hollister
Progresso's Tamale Parlor	Restaurant	230 Third Street Hollister
Panda Express	Restaurant	1740 Airline Highway Hollister
Cheung Shang Restaurant	Restaurant	201 Sixth Street Hollister
	Restaurant	Fourth Street Hollister
Ding-a-Ling Café Little Ceasar's Pizza	Restaurant	
East Lone Tree LLC		401 McCray St. B-10 Hollister 8799 Quien Sabe Road
Hazel Hawkins Hospital	Restaurant	911 Sunset Drive Hollister
A & W Restaurant	Restaurant	203 South Street Hollister
	Restaurant	
Pizza Hut	Restaurant	341 Tres Pinos Road #A-2, Hollister
La Barata Market	Restaurant	710 San Benito Street Hollister, CA 95023
Mars Hill	Restaurant	610 San Benito Street Hollister
Taqueria La Villa de Jerez	Restaurant	512 San Benito Street Hollister
Vault	Restaurant	452 San Benito Street Hollister, CA 95023
Neighborhood Pizza	Restaurant	580 Tres Pinos Road Hollister
Super Noodles	Restaurant	195 Meridian St., A-3 Hollister
George's Grill	Restaurant	480 Tres Pinos Road Hollister
Johnny's Bar & Grill	Restaurant	526 San Benito Street Hollister
San Juan Oaks	Restaurant	3825 Union Road Hollister
The Wok	Restaurant	355 San Felipe Road Hollister
Elk's Lodge	Restaurant	351 Astro Drive Hollister
Conchita's Bakery	Restaurant	730 San Benito Street Hollister
Vida	Restaurant	581 McCray Street, Ste. C Hollister
El Gruellense J.A.L.	Restaurant	900 Fourth Street Hollister
El Michoacana	Restaurant	1296 San Juan Road Hollister
Subway Restaurant	Restaurant	401 McCray Street Hollister

	Batabaoo			
Facility Name	Facility Description	Site Address		
McDonald's Restaurant	Restaurant	151 San Felipe Road Hollister		
Cozy Cup	Restaurant	380 Fourth Street Hollister		
Nutricell Center	Restaurant	1280 San Juan Rd., Bldg. 100 A Hollister		
Relax! Grillin & Chillin	Restaurant	3650 San Juan Road Hollister		
Gotita de Amor	Restaurant	321 San Felipe Road, Ste. 10 Hollister		
Papa Murphy's Pizza	Restaurant	1740 B Airline Hwy. Hollister		
Healthy Life	Restaurant	330 Fourth Street Hollister		
Subway	Restaurant	341 Tres Pinos Rd A-1 Hollister, CA 95023		
Dickey's BBQ Pit	Restaurant	551 McCray Street		
AJ Sushi	Restaurant	737 San Benito Street Hollister		
Burger King	Restaurant	1720 Airline Highway Hollister		
Kentucky Fried Chicken	Restaurant	191 McCray Street Hollister		
AFC Sushi	Restaurant	1700 Airline Highway Hollister		
El Epazote Taqueria	Restaurant	195 Meridian St. A-3 Hollister		
Taco Bell #20961	Restaurant	40 San Felipe Road Hollister		
The Grove	Restaurant	7511 Pacheco Pass Hwy. Hollister		
A New Way of Life	Restaurant	321 San Felipe Road Ste. 15		
Starbucks #5921	Restaurant	1760 Airline Highway #A Hollister		
Subway Restaurant #28553	Restaurant	1280 San Juan Rd. #200 Hollister		
Taqueria Los Gruellenses	Restaurant	1270 San Juan Road #C Hollister, CA 95023		
La Catrina	Restaurant	449 San Benito Street		
Burger Factory	Restaurant	125 San Benito Street		
R. Mexican Food	Restaurant	601 McCray Street, Ste 103		
Victoria's Deli	Restaurant	1745 San Felipe Rd. #3 Hollister		
Forno	Restaurant	730 San Benito Street Ste. A Hollister		
Lighthouse 55 Bakery	Restaurant	396 Fourth Street Ste 103 Hollister		
Fisher's Delicatessen	Restaurant	650 San Benito St, 110		
Hacienda de Leal	Restaurant	410 The Alameda		
Veteran's Memorial Building	Restaurant	649 San Benito Street Hollister		
Lupita's Supermarket	Retail	889 Fourth Street Hollister		
Quick Stop #129	Retail Market	1300 San Juan Rd. Hollister		
Quick Stop #131	Retail Market	10 San Felipe Road Hollister		
Safeway	Retail Market	591 Tres Pinos Road Hollister		
G.N.C. #5778 (Retail Operations)	Retail Market	1760 Airline Highway Hollister		
Nash Road Mini-Mart	Retail Market	490 Tres Pinos Road Hollister		
Village Market	Retail Market	1331 Hillcrest Road Hollister		
Ranch Gas & Food	Retail Market	105 San Felipe Road Hollister		
Baler Market	Retail Market	211 Third Street Hollister		

Facility Description	Otto Astalaana
	Site Address
Retail Market	1390 Prospect Ave. Hollister
Retail Market	470 Tres Pinos Road Hollister
Retail Market	6509 Fairview Road Hollister
Retail Market	1701 Airline Highway Hollister
Retail Market	401 McCray Street B-14 Hollister
Retail Market	491 Tres Pinos Road Hollister
Retail Market	1790 Airline Highway Hollister
Retail Market	291 McCray Street Hollister
Retail Market	915 San Benito St. Hollister
Retail Market	5 San Benito Street Hollister
Retail Market	1270 San Juan Rd. #B Hollister
Retail Market	710 San Benito Street Hollister
Retail Market	220 San Felipe Road Hollister
Retail Market	1280 San Juan Road Hollister
Retail Market	1700 Airline Highway Hollister
Retail Market	160 B Briggs Road Hollister
Retail Market	1001 San Juan Road Hollister
Retail Market	631 San Felipe Road Hollister
Retail Market	203 Hawkins Street Hollister, CA 95023
Retail Market	2410 Airline Highway Hollister
Retail Market	2101 Bert Drive Hollister
Retail Market	615 San Benito St, Ste. B
Retail Market	560 Tres Pinos Road Hollister
Retail Market	1615 San Juan Road
Retail Market	401 McCray St. B14 Hollister, CA 95023
Retail Market	195 Meridian St #7 Hollister
Retail Market	204 Hawkins Street Hollister
Retail Market + 1	2600 San Felipe Road Hollister
	Retail MarketRetail Market

APPENDIX 7C

FOG Program Permitting and Inspection Program Materials



APPENDIX 7D

List of FOG/Grease Hauling Companies





Grease Hauling & Rendering Companies

This list is provided to Food Service Establishments (FSEs) only as a convenience, and does not imply an endorsement of the services provided by any of the listed companies. The City of Hollister (City) makes no claims or representations, explicit or implied, regarding the performance of the following service providers. The City encourages FSEs to exercise due diligence when hiring a pumping and/or waste hauling contractor. The list is based upon information available at the time and may not include every company offering such services.

Liquid Waste Haulers	
All Valley Environmental, Inc.	(559) 498-8378
Ameriguard Maintenance Services	(800) 347-7876 ext 14
Bay Pumping	(831) 320-5229
Greenline/Tom's Septic Tank Service	(831) 422-2298
One More Time	(800) 624-5504
Peninsula Septic Tank Service	(831) 659-2465
One More Time	(800) 624-5504
Salinas Tallow	(800) 621-9000
Trap Recyclers Inc.	(800) 994-7867

IN NO EVENT SHALL THE CITY BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, PUNITIVE, OR CONSEQUENTIAL DAMAGES OF ANY KIND WHATSOEVER WITH RESPECT TO THE SERVICES PROVIDED BY THE LISTED COMPANIES.

APPENDIX 7E

FOG Program Municipal Code Sections



Up	Previous	Next	Main	Search	Print	No Frames
----	----------	------	------	--------	-------	-----------

1.16.090 General enforcement authority.

Enforcement officials are authorized to exercise the powers necessary to gain compliance with the provisions of city codes or applicable state law. These powers include the power to issue compliance orders and field citations, inspect public and private property, and use whatever judicial and administrative processes and remedies are available under city codes or state law. (Ord. 891 § 1, 1997: prior code § 1A-10)

Hollister Municipal Code Up Previous Next Main Search Print No Frames Title 13 PUBLIC SERVICES Title 13 PUBLIC SERVICES Title 13 PUBLIC SERVICES Title 13 PUBLIC SERVICES

Chapter 13.04 SEWER SERVICE SYSTEM Article II. Use of Public Sewers

13.04.090 Materials prohibited in sewers.

No person shall discharge or cause to be discharged any of the following into any public sewer:

A. Any gas, benzene, napthol, fuel, oil, or other flammable or explosive solid, liquid or gas;

B. Any water or waste containing toxic or poisonous solid, liquids or gases in sufficient quantities, either singularly or in reaction with other wastes, to injure or interfere with other sewage treatment processes, constitute a hazard to humans or animals, create a public nuisance, create any hazard in any receiving water of the sewage treatment plant, including, but not limited to, cyanides in excess of two milligrams per liter as carbon nitrogen in the wastes discharged to the public sewer;

C. Any water or waste having a pH lower than 5.5 or having any other corrosive properties capable of causing damage or hazard to structures, equipment or personnel of the sewage works;

D. Solid or viscous substances in quantities or of such size as to be capable of causing obstructions to the flow in sewers or the interference with the proper operation of the sewer works, such as, but not limited to, ashes, cinders, sand, mud, straw, shavings, metal, glass, rags, feathers, tar, plastic, wood, underground garbage, whole blood, parched manure, hair and fleshing, whole or ground paper, dishes, cups, milk containers, etc. (Editorially amended during 1998 codification; prior code § 16-9)

Up	Previous	Next	Main	Search	Print	No Frames
Title 1	3 PUBLIC SERVICE	S				
	er 13.04 SEWER S	the second secon				

13.04.100 Materials director may prohibit.

No person shall discharge or cause to be discharged into any sewer any of the following if, in the opinion of the director, the same may damage or injure the sewer, sewage treatment plant, sewage treatment process, sewage treatment equipment, or have an adverse effect on the receiving stream, endanger the public or constitute nuisance. In determining the acceptability of the following, the director shall consider such factors as the quantity to be received in relationship to the flows and velocities in the sewer, the materials of construction of the sewers, the nature of the sewer treatment process, the capacity of the sewer treatment plant, the degree of treatability of the following in the sewer treatment plant and other related factors. The prohibited substances are as follows

A. Any liquid or vapor having a temperature of higher than one hundred fifty (150) degrees Fahrenheit (sixty-five (65) degrees centigrade);

B. Any water or waste containing fats, wax, grease or oils, whether emulsified or not, in excess of one hundred (100) milligrams per liter or containing substances which may solidify or become viscous at temperatures between thirty-two (32) degrees and one hundred fifty degrees (150) Fahr-

enheit (zero degrees and sixty-five (65) degrees centigrade);

C. Any garbage that has not been properly shredded. The installation and operation of any garbage grinder equipment with a motor of three-quarters horsepower (.76 horsepower, metric) or greater, shall be subject to the approve of the director;

D. Any water or waste containing acids, iron pickling, or concentrated plating solutions, whether neutralized or not;

E. Any water or waste containing iron, chromium, copper, zinc or other similar toxic substances or wastes exerting an excessive chlorine requirement to such degree that any such material received in the composite sewage at the sewer treatment plant exceeds the limits established by the director for such materials;

F. Any water or waste containing phenols or taste or odor-producing substances, in such concentrations exceeding limits which may be established by the state of California or the United States, or agencies thereof having jurisdiction over the discharge thereof to receiving waters;

G. Any radioactive wastes or isotopes such as half-lives or concentrations as may exceed limits as established by the director in compliance with applicable state and federal regulations;

H. Any water or wastes having a pH in excess of 9.5;

I. Materials which exert or cause:

1. Unusual concentrations of suspended solids (such as, but not limited to, fuller's earths, lime slurries, and lime residuals or organic materials) or of dissolved solids (such as, but not limited to, starches, sugars, sodium chloride, and sodium sulfate),

2. Excessive discoloration (such as, but not limited to, dye, wastes and vegetable tanning solutions),

3. Unusual BOD, chemical oxygen demand, or chlorine requirements in such quantities so as to constitute a significant load on the sewer treatment plant,

4. Any unusual volume or flow of concentration of wastes which upsets or affects the balance of the sewer treatment plant;

J. Water or waste containing substances which are not admittable to treatment or reduction by the sewage treatment processes employed, or are amenable to treatment only to such degree that the sewer treatment plant effluent cannot meet the requirements of other agencies having jurisdiction over the discharge of the receiving waters. (Prior code § 16-10)

Up	Previous	Next	Main	Search	Print	No Frame
Title 1	3 PUBLIC SERVICE	.ς				
Chapt	ter 13.04 SEWER S	ERVICE SYSTE	<u>:M</u>			

13.04.110 Action resulting from deposit of deleterious wastes.

If any water or waste is discharged or is proposed to be discharged to the public sewers, which water contains the substances or processes and characteristics enumerated in Section 13.04.100 or which, in the judgment of the director, may have a deleterious effect upon the sewer treatment works, processes, equipment or receiving waters, or which constitutes a danger to public health, safety or welfare, or which constitutes a public nuisance, the director may:

- A. Reject the water or waste;
- B. Require pretreatment to an acceptable condition for discharge to the public sewer;
- C. Control quantity or rate of discharge;

D. Require payment to cover the additional costs and expenses of handling and treating the wastes not covered by existing fees and charges under other provisions of this chapter;

E. Refuse to furnish service or discontinue service. (Prior code § 16-11)

Title 13 PUBLIC SERVICES Chapter 13.04 SEWER SERVICE SYSTEM	Up	Previous	Next	Main	Search	Print	No Frames
	Title 1	3 PUBLIC SERVICE	s		1111		
Chapter 13.04 Sewer Service Statem				M			
Article II. Use of Public Sewers	Chapt	ter 13.04 SEWER S	ERVICE SYSTE	<u>:M</u>			

13.04.120 Grease traps required.

Grease, oil and sand interceptors shall be provided when, in the opinion of the director, they are necessary for the proper handling of liquid wastes containing grease, flammable waste, sand or other harmful ingredients, except that such interceptors shall not be required for dwelling units. All interceptors shall be of a type and capacity approved by the director and shall be located so as to be readily and easily accessible for cleaning and inspection. Failure to clean or maintain interceptors shall be grounds for discontinuance of service or other punitive action as provided in this chapter. (Prior code § 16-12)

Hollis	ter Municipal C	ode				
Up	Previous	Next	Main	Search	Print	No Frames
Title 1	5 BUILDINGS AND	CONSTRUCTI	<u>DN</u>			
Chap	ter 15.04 HOLLIST	ER BUILDING (CODE			

15.04.050 Construction codes adopted by reference.

The following codes, which are on file and available for public inspection at City Hall, are adopted by reference as fully as if set forth verbatim.

A. 2013 Edition of the California Building Standards, Title 24 of the California Code of Regulations, in its entirety consisting of the following parts:

Part 1 California Building Standards Administrative Code;

Part 2 California Building Code;

Part 2.5 California Residential Building Code;

Part 3 California Electrical Code;

Part 4 California Mechanical Code;

Part 5 California Plumbing Code;

Part 6 California Energy Code;

Part 8 California Historical Building Code;

Part 9 California Fire Code;

Part 10 California Existing Building Code;

Part 11 California Green Building Standards Code;

Part 12 California Reference Standards Code.

- B. Uniform Code for the Abatement of Dangerous Buildings, 1997 Edition.
- C. Uniform Swimming Pool, Spa and Hot Tub Code, 2009 Edition.
- D. Uniform Solar Energy Code, 2009 Edition. (Ord. 1096 § 1, 2013)

APPENDIX 7F

FOG Staffing Discussion and Staff Roles and Responsibilities

City of Hollister January 2017 Page 7F-1



APPENDIX 7G

Sewer System High Maintenance Areas (FOG)

City of Hollister January 2017 Page 7G-1



Name:

Revised: 5/27/14

Date:

FRIDAY ROUTE

LOCATION	TIME	FLOWING	PLUGGED	ACTION TAKEN
Line & South St				
Monterey & Swope Alley				
West & between 5 th & 6 th				
Powell & Briggs (Alley)				
College & Fremont Way				
Mapleton & Fremont Way				
Fremont Alley				
College & Locust Ave.				
Locust & Virginia				
Locust Ave & Fremont Way (Com Center)				
Community Center				
Locust Ave & West 2 nd St				
Line St & Canal Alley				
Central Ave & Ranchito Ct				
Graf & Fourth St				
Powell & Wentz Alley				
Suiter & Powell				
Powell & B St				
Suiter Alley				
West St & O'Neil St				
West St & Haydon St				
Monterey St (Health Foundation)				
San Benito St & Hawkins				
Hawkins & East St				
Hawkins & Nolte Alley				
Prune St & Nash Rd				
Caputo Ct				
Hermosa Way (off Westwood Dr)				
Crescent Lane				
Scenic Circle				
Cerra Vista & Vallejo Dr				
El Toro Dr				
Busby Ct off Hillcrest				
McKinnon Lumber Alley				
Veterans Building				
Paines & Briggs Alley				
Burger Factory & Main St				
San Juan Dr & Chappell				
San Juan Dr & Maple				
Sally St & Maple (DMV)				
Astro & Mars (Airport)				
Nora Ave (Los Cuates)				
Thompson St (Behind Ranchers Feed)				