



## POST-CONSTRUCTION STORMWATER MANAGEMENT REQUIREMENTS

Applicants please be advised that all new and redevelopment projects which receive their first discretionary approval for design elements on, or after, March 6, 2014, or, if no discretionary approval is required, receive their first ministerial permit on, or after that date, are subject to Post-construction Stormwater Management Requirements as mandated by the State of California Regional Water Quality Control Board, Central Coast Region's Resolution No. R3-2013-0032, as applicable.

In general, projects which create and/or replace 2500 square feet or more of impervious surface (collectively over the entire project site) are subject to the requirements, unless otherwise stated in State of California Regional Water Quality Control Board, Central Coast Region Resolution No. R3-2013-0032.

A pre-application meeting with City development staff is highly recommended for all projects subject to Post-construction Stormwater Management Requirements.

A copy of the State of California Regional Water Quality Control Board, Central Coast Region Resolution No. R3-2013-0032 can be downloaded at the link below:

[http://www.waterboards.ca.gov/centralcoast/water\\_issues/programs/stormwater/docs/lid/lid\\_hydromod\\_charette\\_index.shtml](http://www.waterboards.ca.gov/centralcoast/water_issues/programs/stormwater/docs/lid/lid_hydromod_charette_index.shtml)