



S.C. = SIDE CLEARANCE	
NOMINAL PIPE SIZE	SIDE CLEARANCE
UP TO AND INCLUDING 15"	6" MIN.-10" MAX.
OVER 15"	8" MIN.-12" MAX.

**NOTES:**

1. SEE STANDARD PLAN E-4 FOR TRENCH RESTORATION ON IMPROVED / UNIMPROVED STREETS.
2. SAND BEDDING & BACKFILL MINIMUM SAND EQUIVALENT OF 30.
3. SIDE CLEARANCE EXCEEDING MAXIMUM SHALL USE CEMENT-SAND SLURRY OR CLASS II AGGREGATE BASE.
4. EXCAVATIONS TO COMPLY WITH CAL-OSHA REQUIREMENTS/REGULATIONS

<b>PIPE BEDDING AND TRENCH / BACKFILL</b>			
DRAWN BY: STAFF	SCALE: NONE	APPROVED:	STANDARD PLAN
REVIEWED BY: DANNY HILLSTOCK	REVISED: OCTOBER, 2019		<div style="font-size: 2em; font-weight: bold;">E-3-1</div>
CITY OF HOLLISTER ENGINEERING DEPARTMENT		<small>CITY ENGINEER: DANNY HILLSTOCK LIC. NO. 70647</small> <div style="text-align: right; margin-top: 10px;"> <span style="font-size: 1.2em;">11-3-19</span>  <small>DATE</small> </div>	<small>SHEET 1 OF 2</small>