


TABLE A. TREE PLANTING DATA	
TREE SIZE	STAKE LENGTH
15 GAL.	10"
24" BOX	12'
30" BOX	12'
36"-48" BOX	SEE NOTE 4



NOTES:

1. STAKE SHALL BE EITHER 3" DIAMETER LODGE POLE PINE, TREATED WITH COPPER NAPHTHENATE OR PRESSURE TREATED WITH CHROMATED COPPER ARSENATE, OR GALVANIZED STEEL PIPE PER SUBSECTION 308-4.6.1 (METHOD A) OF THE GREENBOOK.
2. PLACE STAKES 18" APART FOR 15 GAL. TREE, PLACE STAKE AT OUTER EDGE ROOT BALL FOR LARGER SIZE BOX TREE.
3. HEIGHT OF STAKES SHALL NOT BE HIGHER THAN THE TOP OF THE TREE.
4. FOR 36" OR LARGER BOX TREES, STAKE OR GUY AT THE DIRECTION OF CITY ENGINEER.
5. TREE SUPPORTS PER SUBSECTION 308-4.6.1 OR THE GREENBOOK.
6. READY STAKE SIZE B, 3/4" DIA. X 9' SHALL BE USED FOR 15 GAL. ROOT BALL OR LESS. USE WOODEN STAKE FOR ROOT BALL LARGER THAN 15 GAL. USE WOODEN STAKE 3" DIA. X 8' OR AS STATED IN NOTE NO. 1.

TITLE: LANDSCAPING TREE STAKING DOUBLE STAKING

DRAWN BY: STAFF
 SCALE: NONE
 REVIEWED BY: DANNY HILLSTOCK
 REVISED: OCTOBER, 2019

APPROVED: *[Signature]*
 CITY ENGINEER: DANNY HILLSTOCK, LIC. NO. 70647
 DATE: 11-5-19

STANDARD PLAN
H-1-2
 SHEET 2 OF 3

CITY OF HOLLISTER
 ENGINEERING DEPARTMENT